CAT1 Airfield Vehicle Permit (AVP) Application Form



Seletar Airport Operations Changi Airport Group (S) Pte Ltd 21 Seletar Aerospace Road 1 Singapore 797405

This form will take you approximately 5 minutes to complete.

□ New Application□ Renewal Application□ Replacement Application	Renewal/Re	efresher: For current vehic nt: For misplaced AVP, or	r which AVP had expired more than 1 year les with expiring AVP wear & tear of AVP. For misplaced AVP, a police				
A) Details of Vehicle and Registered	A) Details of Vehicle and Registered Owner						
Name of Registered Owner:							
Registered Address:							
Supporting Organisation:							
Vehicle Number:		Cat1 AVP Expiry D	ate (for Renewal Application only):				
Proposed Use:							
Engine Capacity:	Propellant (dele Petrol / Diesel / I	ete accordingly): Electric / Hybrid	Unladen Weight:				
Vehicle Type:	Parking Area:	Insurance Policy No:					
Ministry of Manpower LP/LM No:							
B) Declaration By Registered Owne	r						
I declare that:	sia application are	aarra ati					
1. The information provided in the			ation (as stated everleaf):				
 I agree to the Terms and Conditions of Airfield Vehicle Permit Application (as stated overleaf); I will comply with the provisions in the Civil Aviation Authority of Singapore (Seletar Airport) By-Laws 2009 							
and any amendments issued to the above from time to time;							
4. I shall remove the vehicle from Seletar Airport Airside upon expiry of its Cat1 AVP, failing which Changi Airport Group (Singapore) Pte Ltd may remove the vehicle, and I shall be liable for the costs of removal, plus an administrative charge of 15% of the removal costs;							
5. I shall be responsible for any damage to Changi Airport Group (Singapore) Pte Ltd property caused by the							
vehicle and be liable for the costs of repair, plus an administrative charge of 15% of the repair costs; and							
I shall surrender the permit when the permit expires, or when the vehicle is no longer required for the proposed use.							
Name and Signature of Degiste	ared Owner	Name and Sig	mature of Supporting Over Date				
Name and Signature of Registe Date	ered Owner	Name and Sig	nature of Supporting Org, Date (if applicable)				

TERMS AND CONDITIONS OF CAT1 AIRFIELD VEHICLE PERMIT APPLICATION ("CAT1 AVP")

A) Application

- 1. All applications must be accompanied with an endorsement letter from a supporting Changi Airport Group (Singapore) Pte Ltd ("CAG") Division or Licensed Seletar Airport Ground Services Provider ("GSP") indicating the proposed use of the vehicle.
- 2. The following supporting documents shall be submitted with the Cat1 AVP application:
 - Details of maintenance job sheet/checklist/receipt/invoice showing the maintenance and the functionality checks performed by an appointed vehicle maintenance personnel/contractor during the last maintenance;
 - Vehicle General Insurance;
 - Seletar Airport Airside Vehicle Insurance coverage;
 - Singapore Vehicle Registration;
 - Certificate of Compliance (from Inspection Centre);
 - Specification Sheet and Delivery Order stating the vehicle registration number for the yellow flashing lights;
 - LTA Vehicle Registration Details
 - Coloured photographs of the vehicle (Front, Sides and Rear views) to show the obstacle light and vehicle registration number. Applicants shall provide the
 photographs in the format provided in Annex A of this application form;
 - · A copy of the First Schedule found in the Licence Agreement, if the vehicle has been assigned a parking area in the airside.
 - Additional requirements pertaining to Cat1 AVP applications for Fuel Bowsers:
 - i. New Application: Site acceptance test <u>and</u> confirmation letter that the tests are satisfactory
 - ii. Renewals: maintenance checklist showing that the equipment has undergone and passed all relevant maintenance checks
- 3. Additionally, vehicles shall be physically checked for the following:
 - · Body of the vehicle is painted yellow;
 - Yellow Flashing Light (refer to Figure 1);
 - The horizontal surface of the vehicle body to reflect the company's logo;
 - A roundel compromising a 152 mm in diameter green circle surrounded by a 25mm white band to be painted or pasted on the front (bonnet passenger side)
 and rear (boot driver side) of the vehicle;
 - A warning sign (15 x 10cm) is displayed on the dashboard (or any position conspicuous to the driver of the vehicle) bearing the wordings:

"NO ENTRY INTO RUNWAY/TAXIWAY WITHOUT CLEARANCE FROM SELETAR ATC"."

- A light gun signal and vehicular RT failure procedures sign (15 x 10 cm) is placed on board the vehicle.
- The call sign assigned by CAG is displayed in black (60cm x 45cm per number) on the roof & side door of the vehicle. If there is insufficient space on the roof the call sign shall be displayed on the bonnet (Not Applicable to Aircraft Towing Vehicles)
- An updated runway/ taxiway map is carried in the vehicle;
- The Company logo must be displayed on the side of the vehicle;
- A copy of the works order for the VHF RT Set installation stating the type/ serial no./ Frequency (122.9 MHz & 118.45Mhz); and
 - RIPPLE Unit Installed.
- 4. Information collected in this application may be used by CAG for the following purpose (when required):
 - Investigation due to an incident or issuance of Notice of Offences ("NOO"); and/or
 - Credibility and/or validity checks of Cat1 AVP.

Figure 1: Specifications of Yellow Flashing Light

Table 10-3 – Characteristics of obstacle lights

1	2	3	4	5	6	7	
Light type	Colour	Signal type/	Peak intensity (cd) a Background Lumina			Light Distribution	
		(flash rate)	Day (Above 500 cd/m²)	Twilight (50-500 cd/m ²)	Night (Below 50 cd/m²)	- Table	
Low-intensity, Type A (fixed obstacle)	Red	Fixed	N/A	N/A	10	Table 10-4	
Low-intensity, Type B (fixed obstacle)	Red	Fixed	N/A	N/A	32	Table 10-4	
Low-intensity, Type C (mobile obstacle)	Yellow/ Blue (a)	Flashing (60-90 fpm)	N/A	40	40	Table 10-4	
Low-intensity, Type D (Follow-me Vehicle)	Yellow	Flashing (60-90 fpm)	N/A	200	200	Table 10-4	
Low-intensity, Type E	Red	Flashing (c)	N/A	N/A	32	Table 10-4 (Type B)	

	Table 10-4 -	Light distribution	for low intensity	obstacle lights
--	--------------	--------------------	-------------------	-----------------

	Minimum intensity	Maximum intensity	Vertical beam spread (f)	
	(a)	(a)	Minimum beam spread	Intensity
Туре А	10 cd (b)	N/A	10°	5 cd
Туре В	32 cd (b)	N/A	10°	16 cd
Туре С	40 cd (b)	400 cd	12º (d)	20 cd
Type D	200 cd (c)	400 cd	N/A (e)	N/A

B) Charges and Payments

- 5. Payments can be made via NETS, Cashcard, Credit Card before the issuance of the permit.
- 6. The table below lists the Cat1 AVP related fees excluding GST. Prevailing GST will be calculated during payment.

Туре	Description	Fees
	Petrol- & Diesel-Driven Vehicles	\$0.08 per cc
Seletar Airport Cat1 Airfield Vehicle Permit	Electric Vehicles	\$110.00
	Replacement of AVP	\$5.00

C) Cat1 Airfield Vehicle Permit and Driving in Seletar Airport Airside

- 7. The validity of the approved Cat1 AVP shall be tied in with the validity of the vehicle's general insurance or Seletar Airport Airside vehicle insurance, whichever expires earlier.
- 3. Cat1 AVPs that have expired shall be returned to ADC. If the vehicle requires a new Cat1 AVP, the Registered Owner shall submit a fresh application.
- 9. The Cat1 AVP shall be surrendered to the company's appointed AD Coordinator or directly to Seletar Airport ADC in the event that the vehicle no longer require access to Seletar Airport Airside. If the AVP could not be retrieved, or if the AVP is misplaced, a police report should be made and submitted to Seletar Airport ADC.
- 10. Vehicles with expired Cat1 AVPs are not permitted to remain in Seletar Airport Airside. CAG may take the necessary means to have the overstaying vehicle removed, and the Driver/Registered Owner of the vehicle shall bear the costs of such removal, plus an administrative charge of 15% of the removal costs.
- 11. Drivers shall abide by the Airside Rules and Regulations and take the necessary care and precaution while driving in the Seletar Airport Airside. Drivers/Registered Owners shall be held responsible for any damages to CAG(S) Pte Ltd's property caused by the vehicle, and shall be liable for the costs of repair, plus an administrative charge of 15% of the repair costs.
- 12. The driver shall ensure that the flashing yellow light on top of the vehicle always remains turned on while operating in the airside.
- 13. All vehicles operating in Seletar Airport Airside shall be equipped with either body-restraining seat belts or lap seat belts. Persons in the vehicles shall have their seat belts fastened at all times while the vehicle is in motion.

Please use the format below to submit the coloured photog	graphs of the vehicle:
Front View (Include Registration number and Obstacle light)	Rear View (Include Registration number)
F	F
Side (Left) View	Side (Right) View

FOR	OFFICIAL USE					
Sno	Please indicate if documents were provided a	nd acceptable; indicate NA if	the do	ocument is not appli	cable to this application	(delete accordingly)
1.	Maintenance/Functionality/Preventive	Verified / Not Provided / Not	9.	Chequered Flag (for vehicles that fall under		Verified / Not Provided / Not
١.	maintenance jobsheet/checklist/receipt/invoice	Acceptable / Not Applicable	9.	CAG AOS Manual Section D only)		Acceptable / Not Applicable
2.	Vehicle General Insurance certificate, including	Verified / Not Provided / Not	10.	Type C Obstacle Lig	ghts	Verified / Not Provided / Not
۷.	covering Seletar Airport Airside	Acceptable / Not Applicable	10.	(Compliance with MOAS Requirements)		Acceptable / Not Applicable
3.	Certificate of Compliance (From Inspection	Verified / Not Provided / Not	11.	Ripple System Insta	alled (Cat 1 Vehicles	Verified / Not Provided / Not
٥.	Centre)	Acceptable / Not Applicable	11.	Only)		Acceptable / Not Applicable
4.	Singapore Vehicle Registration (Road Tax)	Verified / Not Provided / Not	12.	Renewal Period		1 Year / Pro-Rated
т.	Orngapore Vernicle Registration (Road Tax)	Acceptable / Not Applicable	12.	Reliewal reliou		1 Teal / 1 To-INated
5.	LTA Vehicle Registration Details (Log Card)	Verified / Not Provided / Not	13.	Exemption of Fees (CAG Vehicles Only)		Yes / Not Applicable
<u> </u>		Acceptable / Not Applicable	10.	-	• •	
6.	Delivery Order and spec sheet for yellow	Verified / Not Provided / Not	14.	Copy of First Schedule of Licence		Verified / Not Provided / Not
<u> </u>	flashing lights	Acceptable / Not Applicable		Agreement (for Parking Area)		Acceptable / Not Applicable
		Verified / Not Provided / Not Acceptable / Not Applicable	15.	For Fuel Bowsers Only:		Verified / Not Provided / Not Acceptable / Not Applicable
7.	Clear Coloured photographs (Annex 1)			(New application) Site Acceptance Test and		
		. тоображения тоображения по тообра			hat tests are satisfactory	/ teespitable / ttet/ ippileable
				For Fuel Bowsers C	-	
8.	Colour of vehicle	White / Yellow / CAG AOS	16.	(Renewal application) Maintenance checklist showing that the equipment has undergone and passed relevant		Verified / Not Provided / Not Acceptable / Not Applicable
	Documents Checked and Verified By					
		Signature of ADC Officer		cer	Name of ADC Officer, Date	

Physical Check of Vehicle	AVP	Verification	Printing	Approval
□ Pass □ Fail	Receipt No & Date:	☐ Approved for Printing ☐ Rejected	AVP Number:	☐ Approved for Issuance ☐ Rejected
ADC Officer (Name, Signature & Date)	Money Collection Officer (Name & Sign)	Verifying Officer (Name, Signature, Date)	Printing Officer (Name, Signature, Date)	Approving Officer (Name, Signature, Date)